



TECHNiCOAT
BAKEWARE

PRODUCT CATALOGUE

WWW.TECHNICOAT-BAKEWARE.COM

1. BAKING TRAYS

1.1. 3 RIM TRAYS


Perforated baking trays

Execution: 3 rims 90° and 1 rim 45°

Material thickness: 1,5 mm

Perforation: 3,0 mm

Dimensions	Article number
600 x 400 mm	t-svod39020m
580 x 780 mm	t-fbod39023m
600 x 800 mm	t-saod39023m
580 x 980 mm	t-fnod39023m
530 x 650 mm	t-erod39023m




Nonperforated baking trays

Execution: 3 rims 90° and 1 rim 45°

Material thickness: 1,5 mm

Perforation: no

Dimensions	Article number
600 x 400 mm	t-svod39020m
580 x 780 mm	t-fbod39023m
600 x 800 mm	t-saod39023m
580 x 980 mm	t-fnod39023m
530 x 650 mm	t-erod39023m



All trays available also in 2,0 mm material thickness and 2,0 mm perforation!

1.2. 4 RIM TRAYS


Perforated baking trays

Execution: 4 rims 90°

Material thickness: 1,5 mm

Perforation: 3,0 mm

Dimensions	Article number
600 x 400 mm	t-svod49020m
580 x 780 mm	t-fbod49023m
600 x 800 mm	t-saod49023m
580 x 980 mm	t-fnod49023m
530 x 650 mm	t-erod49023m



Nonperforated baking trays

Execution: 4 rims 90°

Material thickness: 1,5 mm

Perforation: no

Dimensions	Article number
600 x 400 mm	t-svon49020m
580 x 780 mm	t-fbon49023m
600 x 800 mm	t-saon49023m
580 x 980 mm	t-fnon49023m
530 x 650 mm	t-eron49023m



All trays available also in 2,0 mm material thickness and 2,0 mm perforation!


Perforated baking trays

Execution: 4 rims 45°, rim height 10 mm,
corners open

Material thickness: 1,5 mm

Perforation: 3,0 mm

Dimensions	Article number
600 x 400 mm	t-svod44510m
580 x 780 mm	t-egod44510m
600 x 800 mm	t-erod44510m




Nonperforated baking trays

Execution: 4 rims 45°, rim height 10 mm,
corners open

Material thickness: 1,5 mm

Perforation: no

Dimensions	Article number
600 x 400 mm	t-svon44510m
530 x 325 mm	t-egon44510m
530 x 650 mm	t-eron44510m



1.3. 2 RIM TRAYS, RIMS ON SHORT OR LONG SIDE

Perforated baking trays

Execution: 2 rims 45°, rim height 10 mm

Material thickness: 2,0 mm


Perforation: 3,0 mm

Rims on short side:

Dimensions	Article number
600 x 400 mm	t-svzd24510sm
580 x 780 mm	t-fbzd24510sm
600 x 800 mm	t-sazd24510sm
580 x 980 mm	t-fnzd24510sm
530 x 650 mm	t-erzd24510sm

Rims on long side:

Dimensions	Article number
600 x 400 mm	t-svzd24510lm
580 x 780 mm	t-fbzd24510lm
600 x 800 mm	t-sazd24510lm
580 x 980 mm	t-fnzd24510lm
530 x 650 mm	t-erzd24510lm



All trays available also with 2,0 mm perforation!

Nonperforated baking trays

Execution: 2 rims 45°, rim height 10 mm

Material thickness: 2,0 mm


Perforation: no

Rims on short side:

Dimensions	Article number
600 x 400 mm	t-svzn24510sm
580 x 780 mm	t-fbzn24510sm
600 x 800 mm	t-sazn24510sm
580 x 980 mm	t-fnzn24510sm
530 x 650 mm	t-erzn24510sm

Rims on long side:

Dimensions	Article number
600 x 400 mm	t-svzn24510lm
580 x 780 mm	t-fbzn24510lm
600 x 800 mm	t-sazn24510lm
580 x 980 mm	t-fnzn24510lm
530 x 650 mm	t-erzn24510lm




All trays available also with 2,0 mm perforation!

2. BAGUETTE TRAYS

Baguette trays Profi Bake
Aluminium tube frame with rounded corners
Aluminium inlay


material thickness: 1,15 mm
perforation: 1,5 mm
fixation: stainless steel rivets



Dimensions	Rows	Article number
600 x 400 mm	4 long	b-sv4lprama
600 x 400 mm	5 long	b-sv5lprama
580 x 780 mm	7 long	b-fb7lprama
580 x 780 mm	8 long	b-fb8lprama
600 x 800 mm	7 long	b-sa7lprama
600 x 800 mm	8 long	b-sa8lprama
580 x 980 mm	7 long	b-fn7lprama
580 x 980 mm	8 long	b-fn8lprama

Baguette trays Profi Bake
Stainless steel tube frame with rounded corners
Aluminium inlay

material thickness: 1,15 mm
perforation: 1,5 mm
fixation: stainless steel rivets



Dimensions	Rows	Article number
600 x 400 mm	4 long	b-sv4lprisma
600 x 400 mm	5 long	b-sv5lprisma
580 x 780 mm	7 long	b-fb7lprisma
580 x 780 mm	8 long	b-fb8lprisma
600 x 800 mm	7 long	b-sa7lprisma
600 x 800 mm	8 long	b-sa8lprisma
580 x 980 mm	7 long	b-fn7lprisma
580 x 980 mm	8 long	b-fn8lprisma

Baguette trays Profi Bake
Aluminium tube frame with rounded corners
Aluminium inlay

material thickness: 1,15 mm
perforation: 1,5 mm
fixation: stainless steel rivets

Dimensions	Rows	Article number
600 x 400 mm	4 short	b-sv4sprama
600 x 400 mm	5 short	b-sv5sprama
580 x 780 mm	7 short	b-fb7sprama
580 x 780 mm	8 short	b-fb8sprama
600 x 800 mm	7 short	b-sa7sprama
600 x 800 mm	8 short	b-sa8sprama
580 x 980 mm	7 short	b-fn7sprama
580 x 980 mm	8 short	b-fn8sprama



Baguette trays Profi Bake
Stainless steel tube frame with rounded corners
Aluminium inlay

material thickness: 1,15 mm
perforation: 1,5 mm
fixation: stainless steel rivets

Dimensions	Rows	Article number
600 x 400 mm	4 short	b-sv4sprsma
600 x 400 mm	5 short	b-sv5sprsma
580 x 780 mm	7 short	b-fb7sprsma
580 x 780 mm	8 short	b-fb8sprsma
600 x 800 mm	7 short	b-sa7sprsma
600 x 800 mm	8 short	b-sa8sprsma
580 x 980 mm	7 short	b-fn7sprsma
580 x 980 mm	8 short	b-fn8sprsma

